

PRANA HES - Data Dictionary

Details

Project Details		
Name	HES Data Dictionary	
Organisation(s)	University Hospital Southampton NHS Foundation Trust / PRANA project	
Versioning		
Version	v1.0	
Version Notes		
Cohort		
Inclusion Criteria	* Emergency care attendances and/or HES episodes relevant to road traffic collision linkage with STATS19.	
Exclusion Criteria		
Metadata		
Template Version	v1.1	
Tables	3	
Columns	172	
Issues		

Tables

Table	Description	CHECKS
hes_ae	Historical HES emergency-care extract containing patient, episode, diagnosis, procedure, organisation and geography fields.	
hes_apc	HES admitted patient care extract containing inpatient spell and episode activity, diagnoses, procedures and discharge details.	
hes_cc	HES critical care extract containing linked critical care activity, support levels, organ support and discharge outcomes.	

Columns

Table	Column	Order	Data Type	Length	Vocabularies	Enumerations	Primary Key	Foreign Key Target	Column Description	CHECKS
hes_ae	ACPEND_NN	1	Date	10	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPEND_n (Augmented Care)	
hes_ae	ACPLOC_NN	2	Text	2	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPLOC_n (Augmented Care)	
hes_ae	ACPN_NN	3	Integer		NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPN_n (Augmented Care)	
hes_ae	ACPOUT_NN	4	Text	2	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPOUT_n (Augmented Care)	
hes_ae	ACPSTAR_NN	5	Date	10	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPSTAR_n (Augmented Care)	
hes_ae	ADMIAGE	6	Integer		NHS Data Dictionary / HES national codes				The patient's age, in completed years, on the Admission Date (ADMIDATE)	
hes_ae	ADMIDATE	7	Date	10	NHS Data Dictionary / HES national codes				The date the patient was admitted to hospital at the start of a hospital admission	
hes_ae	ADMIMETH	8	Text	2	NHS Data Dictionary / HES national codes				A code to identify how the patient was admitted to hospital. ADMIMETH	
hes_ae	BIRESUS_NN	9	Text	1	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field BIRESUS_n (Resuscitation)	
hes_ae	CAUSE	10	Text	10	ICD-10 / ICD coding				External cause of injury or poisoning. This item is a copy of the first diagnosis	
hes_ae	CLASSPAT	11	Text	1	NHS Data Dictionary / HES national codes				A code to identify day cases, ordinary admissions, regular day and regular	
hes_ae	CONSULT	12	Integer	8	NHS Data Dictionary / HES national codes				A code for the consultant, which identifies the consultant as an individual	
hes_ae	DEPDAYS_NN	13	Integer		NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field DEPDAYS_n (High-Dependency)	
hes_ae	DIAG_NN	14	Integer	6	ICD-10 / ICD coding				Extract column mapped to HES TOS field DIAG_NN (Diagnosis Code)	
hes_ae	DIAG_COUNT	15	Integer		ICD-10 / ICD coding				The total number of diagnosis codes present on the record (maximum 10)	
hes_ae	DISDATE	16	Date	10	NHS Data Dictionary / HES national codes				The date on which the patient was discharged from hospital. It is only	
hes_ae	DISDEST	17	Text	2	ODS				A code to identify where the patient was due to go on leaving hospital	
hes_ae	EPIDUR	18	Text		NHS Data Dictionary / HES national codes				The difference in days between the Episode Start Date (EPISTART) and	
hes_ae	EPIEND	19	Date	10	NHS Data Dictionary / HES national codes				The date on which a patient left the care of a particular consultant, for	
hes_ae	EPIKEY	20	Text	12	NHS Data Dictionary / HES national codes		Yes	hes_apc.EPIKEY	This field is present on A&E and APC linked records only. Linkage between	
hes_ae	EPIORDER	21	Integer		NHS Data Dictionary / HES national codes				The order of the episode within the current spell. All spells start with a	
hes_ae	EPISTART	22	Date	10	NHS Data Dictionary / HES national codes				The date on which a patient was under the care of a particular consultant	
hes_ae	ETHNOS	23	Text	2	NHS Data Dictionary / HES national codes				The ethnicity of the patient, as specified by the patient. This field uses	
hes_ae	GPPRAC	24	Text	12	ODS				The general medical practice of the patient's registered GP.	
hes_ae	GRIDLINK	25	Text	11	NHS Data Dictionary / HES national codes				The Ordnance Survey postcode grid reference of the patient's residential	
hes_ae	HOMEADD	26	Text	8	NHS Data Dictionary / HES national codes				The patient's home postcode. If a patient is away from home for long	
hes_ae	IMD04	27	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	

Table	Column	Order	Data Type	Length	Vocabularies	Enumerations	Primary Key	Foreign Key Target	Column Description	CHECKS
hes_ae	IMD04C	28	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	
hes_ae	IMD04ED	29	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	
hes_ae	IMD04EM	30	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	
hes_ae	IMD04HD	31	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	
hes_ae	IMD04HS	32	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	
hes_ae	IMD04I	33	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	
hes_ae	IMD04IA	34	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	
hes_ae	IMD04IC	35	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	
hes_ae	IMD04LE	36	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple deprivation	
hes_ae	IMD04RK	37	Integer		NHS Data Dictionary / HES national codes				The IMD overall ranking is made by combining the seven IMD Domain	
hes_ae	IMD04_DECILE	38	Text	30	NHS Data Dictionary / HES national codes				The IMD Overall Ranking to identify which one of ten groups a Lower	
hes_ae	INTDAYS_NN	39	Integer		NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field INTDAYS_n (Intensive Care	
hes_ae	MAINSPEF	40	Text	3	NHS Data Dictionary / HES national codes				The specialty under which the consultant is contracted. Compare with	
hes_ae	MYDOB	41	Text	6	NHS Data Dictionary / HES national codes				Month and year of date of birth only. Day is not made available.	
hes_ae	NEWNHSNO_CHECK	42	Text	1	NHS Data Dictionary / HES national codes				Indicates whether the format of the NHS number supplied in the field	
hes_ae	NUMACP	43	Integer		NHS Data Dictionary / HES national codes				The number of valid Augmented Care Period (ACP) groups on the episode	
hes_ae	OACODE01	44	Text	10	ICD-10 / ICD coding				Census output areas are small geographical areas that cover similar	
hes_ae	OACODE11	45	Text	10	ICD-10 / ICD coding				Census Output Areas are small geographical areas that cover similar	
hes_ae	OPDATE_NN	46	Date	10	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field OPDATE_nn (Date of Procedure	
hes_ae	OPERTN_NN	47	Text	4	OPCS-4				Extract column mapped to HES TOS field OPERTN_nn (Procedure Code	
hes_ae	OPERTN_COUNT	48	Integer		OPCS-4				The total number of procedure codes present on the record (maximum	
hes_ae	OPERTN_DATE	49	Date	10	OPCS-4				The date of the procedure recorded in the OPERTN_CODE field. This	
hes_ae	ORGSUP_NN	50	Integer		ODS				Extract column mapped to HES TOS field ORGSUP_n (Number of Organisations	
hes_ae	PCONSULT	51	Text	16	NHS Data Dictionary / HES national codes				A pseudonymised version of the Consultant Code (CONSULT).	
hes_ae	POSOPDUR	52	Integer		NHS Data Dictionary / HES national codes				The difference in days between the date of the main procedure (OPD	
hes_ae	POSTDIST	53	Text	4	NHS Data Dictionary / HES national codes				The outward portion of the patient's postcode (i.e. all characters to the	
hes_ae	PREOPDUR	54	Integer		NHS Data Dictionary / HES national codes				This derived field contains the difference in days between the Episode	
hes_ae	SEX	55	Text	1	NHS Data Dictionary / HES national codes				The current gender of the patient. The classification is phenotypical rather	
hes_ae	SITETRET	56	Text	12	ODS				The site on which the patient was treated within an organisation. The	

Table	Column	Order	Data Type	Length	Vocabularies	Enumerations	Primary Key	Foreign Key Target	Column Description	CHECKS
hes_ae	SPELDUR	57	Integer		NHS Data Dictionary / HES national codes				This derived field gives the duration of the spell in days. It contains the	
hes_ae	SUSRECID	58	Text		NHS Data Dictionary / HES national codes		Yes		The SUSRECID is a SUS generated unique record identifier can be u	
hes_ae	TRETSPEF	59	Text	3	NHS Data Dictionary / HES national codes				The specialty in which the consultant was working during the period o	
hes_ae	STUDY_ID	60	Text		Local/project metadata				Local/project metadata column supplied with the extract.	
hes_apc	source_file	1	Text		Local/project metadata				Local/project metadata column supplied with the extract.	
hes_apc	ACPEND_NN	2	Date	10	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPEND_n (Augmented C	
hes_apc	ACPLOC_NN	3	Text	2	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPLOC_n (Augmented C	
hes_apc	ACPN_NN	4	Integer		NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPN_n (Augmented Care	
hes_apc	ACPOUT_NN	5	Text	2	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPOUT_n (Augmented C	
hes_apc	ACPSTAR_NN	6	Date	10	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field ACPSTAR_n (Augmented	
hes_apc	ADMIAGE	7	Integer		NHS Data Dictionary / HES national codes				The patient's age, in completed years, on the Admission Date (ADMID	
hes_apc	ADMIDATE	8	Date	10	NHS Data Dictionary / HES national codes				The date the patient was admitted to hospital at the start of a hospital	
hes_apc	ADMIMETH	9	Text	2	NHS Data Dictionary / HES national codes				A code to identify how the patient was admitted to hospital. ADMIMET	
hes_apc	BIRESUS_NN	10	Text	1	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field BIRESUS_n (Resuscitation	
hes_apc	CAUSE	11	Text	10	ICD-10 / ICD coding				External cause of injury or poisoning. This item is a copy of the first di	
hes_apc	CLASSPAT	12	Text	1	NHS Data Dictionary / HES national codes				A code to identify day cases, ordinary admissions, regular day and re	
hes_apc	CONSULT	13	Integer	8	NHS Data Dictionary / HES national codes				A code for the consultant, which identifies the consultant as an individ	
hes_apc	DEPDAYS_NN	14	Integer		NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field DEPDAYS_n (High-Depend	
hes_apc	DIAG_NN	15	Text	6	ICD-10 / ICD coding				Extract column mapped to HES TOS field DIAG_nn (Diagnosis Code)	
hes_apc	DIAG_COUNT	16	Integer		ICD-10 / ICD coding				The total number of diagnosis codes present on the record (maximum	
hes_apc	DISDATE	17	Date	10	NHS Data Dictionary / HES national codes				The date on which the patient was discharged from hospital. It is only	
hes_apc	DISDEST	18	Text	2	ODS				A code to identify where the patient was due to go on leaving hospital	
hes_apc	EPIDUR	19	Text		NHS Data Dictionary / HES national codes				The difference in days between the Episode Start Date (EPISTART) a	
hes_apc	EPIEND	20	Date	10	NHS Data Dictionary / HES national codes				The date on which a patient left the care of a particular consultant, for	
hes_apc	EPIKEY	21	Text	12	NHS Data Dictionary / HES national codes		Yes		This is the HES unique record identifier that should be used for linking	
hes_apc	EPIORDER	22	Integer		NHS Data Dictionary / HES national codes				The order of the episode within the current spell. All spells start with a	
hes_apc	EPISTART	23	Date	10	NHS Data Dictionary / HES national codes				The date on which a patient was under the care of a particular consult	
hes_apc	ETHNOS	24	Text	2	NHS Data Dictionary / HES national codes				The ethnicity of the patient, as specified by the patient. From April 200	
hes_apc	GPPRAC	25	Text	6	ODS				The general medical practice of the patient's registered GP.	

Table	Column	Order	Data Type	Length	Vocabularies	Enumerations	Primary Key	Foreign Key Target	Column Description	CHECKS
hes_apc	GRIDLINK	26	Text	11	NHS Data Dictionary / HES national codes				The Ordnance Survey postcode grid reference of the patient's residence	
hes_apc	HOMEADD	27	Text	8	NHS Data Dictionary / HES national codes				The patient's home postcode. If a patient is away from home for long	
hes_apc	IMD04	28	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04C	29	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04ED	30	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04EM	31	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04HD	32	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04HS	33	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04I	34	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04IA	35	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04IC	36	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04LE	37	Float		NHS Data Dictionary / HES national codes				The Index of Multiple Deprivation (IMD) is a measure of multiple depri	
hes_apc	IMD04RK	38	Integer		NHS Data Dictionary / HES national codes				The IMD overall ranking is made by combining the seven IMD Domain	
hes_apc	IMD04_DECILE	39	Text	30	NHS Data Dictionary / HES national codes				The IMD Overall Ranking to identify which one of ten groups a Lower	
hes_apc	INTDAYS_NN	40	Integer		NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field INTDAYS_n (Intensive Car	
hes_apc	MAINSPEF	41	Text	3	NHS Data Dictionary / HES national codes				The specialty under which the consultant is contracted. Compare with	
hes_apc	MYDOB	42	Text	6	NHS Data Dictionary / HES national codes				Month and year of date of birth only. Day is not made available.	
hes_apc	NEWNHSNO_CHECK	43	Text	1	NHS Data Dictionary / HES national codes				Indicates whether the format of the NHS number supplied in the field	
hes_apc	NUMACP	44	Integer		NHS Data Dictionary / HES national codes				The number of valid Augmented Care Period (ACP) groups on the ep	
hes_apc	OACODE01	45	Text	10	ICD-10 / ICD coding				Census output areas are small geographical areas that cover similar	
hes_apc	OACODE11	46	Text	9	ICD-10 / ICD coding				Census Output Areas are small geographical areas that cover similar	
hes_apc	OPDATE_NN	47	Date	10	NHS Data Dictionary / HES national codes				Extract column mapped to HES TOS field OPDATE_nn (Date of Proc	
hes_apc	OPERTN_NN	48	Text	4	OPCS-4				Extract column mapped to HES TOS field OPERTN_nn (Procedure C	
hes_apc	OPERTN_COUNT	49	Integer		OPCS-4				The total number of procedure codes present on the record (maximum	
hes_apc	OPERTN_DATE	50	Date	10	OPCS-4				The date of the procedure recorded in the OPERTN_CODE field. This	
hes_apc	ORGSUP_NN	51	Integer		ODS				Extract column mapped to HES TOS field ORGSUP_n (Number of Or	
hes_apc	PCONSULT	52	Text	16	NHS Data Dictionary / HES national codes				A pseudonymised version of the Consultant Code (CONSULT).	
hes_apc	POSOPDUR	53	Integer		NHS Data Dictionary / HES national codes				The difference in days between the date of the main procedure (OPD	
hes_apc	POSTDIST	54	Text	4	NHS Data Dictionary / HES national codes				The outward portion of the patient's postcode (i.e. all characters to the	

Table	Column	Order	Data Type	Length	Vocabularies	Enumerations	Primary Key	Foreign Key Target	Column Description	CHECKS
hes_apc	PREOPDUR	55	Integer		NHS Data Dictionary / HES national codes				This derived field contains the difference in days between the Episode	
hes_apc	SEX	56	Text	1	NHS Data Dictionary / HES national codes				The current gender of the patient. The classification is phenotypical ra	
hes_apc	SITEDIST	57	Text	15	NHS Data Dictionary / HES national codes				The distance in kilometres between the Lower Super Output Area 201	
hes_apc	SPELDUR	58	Integer		NHS Data Dictionary / HES national codes				This derived field gives the duration of the spell in days. It contains the	
hes_apc	SUSRECID	59	Text		NHS Data Dictionary / HES national codes		Yes		The SUSRECID is a SUS generated unique record identifier can be u	
hes_apc	TRETSPEF	60	Text	3	NHS Data Dictionary / HES national codes				The specialty in which the consultant was working during the period o	
hes_apc	STUDY_ID	61	Text		Local/project metadata				Local/project metadata column supplied with the extract.	
hes_cc	source_file	1	Text		Local/project metadata				Local/project metadata column supplied with the extract.	
hes_cc	ACARDSUPDAYS	2	Integer		NHS Data Dictionary / HES national codes				The total number of days that the patient received advanced cardiova	
hes_cc	ARESSUPDAYS	3	Integer		NHS Data Dictionary / HES national codes				The total number of days that the patient received advanced respirato	
hes_cc	BCARDSUPDAYS	4	Integer		NHS Data Dictionary / HES national codes				The total number of days that the patient received basic cardiovascul	
hes_cc	BRESSUPDAYS	5	Integer		NHS Data Dictionary / HES national codes				The total number of days that the patient received basic respiratory su	
hes_cc	CCACTCODE1	6	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE10	7	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE11	8	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE12	9	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE13	10	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE14	11	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE15	12	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE16	13	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE17	14	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE18	15	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE19	16	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE2	17	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE20	18	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE3	19	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE4	20	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE5	21	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE6	22	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	

Table	Column	Order	Data Type	Length	Vocabularies	Enumerations	Primary Key	Foreign Key Target	Column Description	CHECKS
hes_cc	CCACTCODE7	23	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE8	24	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTCODE9	25	Text	2	ICD-10 / ICD coding				Extract column mapped to HES TOS field CCACTCODEn (Critical Ca	
hes_cc	CCACTIVDATE	26	Text	10	NHS Data Dictionary / HES national codes				The activity date where the care activity is during a critical care period	
hes_cc	CCACTSEQ	27	Text	4	NHS Data Dictionary / HES national codes				The sequence of the critical care activity within a critical care period, i	
hes_cc	CCDISDATE	28	Text	10	NHS Data Dictionary / HES national codes				The end date of the critical care period. The critical care discharge da	
hes_cc	CCDISDEST	29	Text	2	ODS				Destination of critical care discharge. The primary organisation type th	
hes_cc	CCDISLOC	30	Text	2	NHS Data Dictionary / HES national codes				The principal location that the patient is discharged to at the end of the	
hes_cc	CCDISRDYTIME	31	Text	8	NHS Data Dictionary / HES national codes				The time on which the patient has been declared clinically ready for d	
hes_cc	CCDISSTAT	32	Text	2	NHS Data Dictionary / HES national codes				The discharge status of a patient who is discharged from a ward stay	
hes_cc	CCDISTIME	33	Text	8	NHS Data Dictionary / HES national codes				The end time of the critical care period. This field goes alongside the e	
hes_cc	CCLEV2DAYS	34	Integer		NHS Data Dictionary / HES national codes				The total number of days a patient received level 2 care during a critic	
hes_cc	CCLEV3DAYS	35	Integer		NHS Data Dictionary / HES national codes				The total number of days a patient received level 3 care during a critic	
hes_cc	CCSTARTDATE	36	Text	10	NHS Data Dictionary / HES national codes				Date on which the critical care period started.	
hes_cc	CCSTARTTIME	37	Text	8	NHS Data Dictionary / HES national codes				Time at which the critical care period started	
hes_cc	CCUNITFUN	38	Text	2	NHS Data Dictionary / HES national codes				The principal type of critical care clinical service provided within the w	
hes_cc	DERMSUPDAYS	39	Integer		NHS Data Dictionary / HES national codes				The total number of days that the patient received dermatological syst	
hes_cc	EPIEND	40	Date	10	NHS Data Dictionary / HES national codes				The date on which a patient left the care of a particular consultant, for	
hes_cc	EPISTART	41	Date	10	NHS Data Dictionary / HES national codes				The date on which a patient was under the care of a particular consul	
hes_cc	EPITYPE	42	Text	2	NHS Data Dictionary / HES national codes				A code that defines the type of episode, so that groups of similar epis	
hes_cc	NCCACTS	43	Integer	4	NHS Data Dictionary / HES national codes				The total number of daily critical care activity records associated with	
hes_cc	NEUROSUPDAYS	44	Integer		NHS Data Dictionary / HES national codes				The total number of days that the patient received neurological system	
hes_cc	NHSNO	45	Text	10	NHS Data Dictionary / HES national codes				The NHS number of the patient, which is the primary identifier of a pe	
hes_cc	ORGSUPMAX	46	Integer		ODS				Maximum number of organ systems supported on any one day during	
hes_cc	RENSUPDAYS	47	Integer		NHS Data Dictionary / HES national codes				The total number of days that the patient received renal system supp	
hes_cc	SUSRECID	48	Text		NHS Data Dictionary / HES national codes		Yes	hes_apc.SUSRECID	The SUSRECID is a SUS generated unique record identifier can be u	
hes_cc	WEIGHTTYPE	49	Text	7	NHS Data Dictionary / HES national codes				The result of the clinical investigation which measures the patient's we	
hes_cc	STUDY_ID	50	Text		Local/project metadata				Local/project metadata column supplied with the extract.	

Enumerations

Table	Column	Code	Name	Description	CHECKS
-------	--------	------	------	-------------	--------

Data Types

Data Type	Description
Text	Free text (string)
Integer	Numerical (Integer)
Float	Numerical (Decimal)
Date	Date (date only)
Timestamp	Datetime (including time)
File	Whole file for upload

Sources

Source	File / URL	Notes
HES TOS	https://digital.nhs.uk/data-and-information/data-tools-and-services/data-services/hospital-episode-statistics/hospital-episode-statistics-data-dictionary	